



CAROTTAGE ET FORAGE DIAMANTÉ

DIAMOND CORING AND DRILLING

TUBAGE CASING

COMPATIBLE
AUX NORMES
ISO 3552-1 : 1992

Tubages métriques Metric casings

CARACTÉRISTIQUES / FEATURES

Tailles / Sizes	Tubage / Casing		Tige / Drill Rod	Carottier / Corebarrel	
	DE/OD	DI/ID		TYPE	DIA
146	143	134	NW	T6	146
			NWY	T6S	146
			NWJ	B	146
			HW		
			HWY		
			60 mm		
131	128	119	NW	T6	131
			NWY	T6S	131
			NWJ	B	131
			HW		
			HWY		
			60 mm		
116	113	104	NW	T6	116
			NWY	T6S	116
			NWJ	B	116
			HW		
			HWY		
			60 mm		
101	98	89	NW	T2	101
			NWY	T6	101
			NWJ	T6S	101
			60 mm	B	
86	84	77	50 mm	T2	86
			60 mm	T6	86
			NW	T6S	86
			NWY	B	86
			NWJ		
76	74	67	50 mm	T2	76
			60 mm	T6	76
			NW	T6S	76
			NWY	B	76
			NWJ		
66	64	57	50 mm	T2	66
			53 mm ⁽¹⁾	B	66
56	54	47	60 mm		
			NW	T2	56
			NWY	T6	56
			NWJ	T6S	56
			60 mm		
46	44	37	50 mm	TT	46
			53 mm ⁽¹⁾	T2	46
				B	46
36	34	27	33 mm	T	36
			33 mm		

(1) Tige aluminium / Aluminium Drill Rod






Tubages métriques Metric casings



TUBAGE CASING



SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	46 mm Tubage / Casing 44 x 37 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RD60046PC2114UB	LD60046PC2114UB
Tête de Tubage / Casing Head x CR33	RD60046PC30C33B	LD60046PC30C33B
Tête de Tubage / Casing Head x CR42	RD60046PD20C42B	LD60046PD20C42B
Tête de Tubage / Casing Head x CR50	N/A	N/A
Tête de Tubage / Casing Head x CR60	N/A	N/A
Tête de Tubage / Casing Head x NW	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API Reg	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A
Tête de Tubage / Casing Head x 2 7/8" API Reg	N/A	N/A
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	N/A	N/A
Tête de Tubage / Casing Head x R66 Gauche / Left	N/A	N/A
Tête de Tubage / Casing Head x H55 Droite / Right	N/A	N/A
Tête de Tubage / Casing Head x H55 Gauche / Left	N/A	N/A
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD046RHFT	CACD046LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD046RH050M	CACD046LH050M
Tubage / Casing Tube L = 0.75 m	CACD046RH075M	CACD046LH075M
Tubage / Casing Tube L = 1.00 m	CACD046RH100M	CACD046LH100M
Tubage / Casing Tube L = 1.50 m	CACD046RH150M	CACD046LH150M
Tubage / Casing Tube L = 3.00 m	CACD046RH300M	CACD046LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU046S350R0RH	SATU046S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU046IE50F0RH	SATU046IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU046CPT000RH	SATU046CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU046CCD000RH	SATU046CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD046RHPP	CACD046LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD046RHPB	CACD046LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI046CASCHD	CASI046CASCHD

SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	56 mm Tubage / Casing 54 x 47 mm		66 mm Tubage Casing 64 x 57 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RE60056PC2114UB	LE60056PC2114UB	RF60066PC2114UB	LF60066PC2114UB
Tête de Tubage / Casing Head x CR33	RE60056PC30C33B	LE60056PC30C33B	RF60066PC30C33B	LF60066PC30C33B
Tête de Tubage / Casing Head x CR42	RE60056PD20C42B	LE60056PD20C42B	RF60066PD20C42B	LF60066PD20C42B
Tête de Tubage / Casing Head x CR50	RE60056PE00C50B	LE60056PE00C50B	RF60066PE00C50B	LF60066PE00C50B
Tête de Tubage / Casing Head x CR60	N/A	N/A	RF60066PF00C60B	LF60066PF00C60B
Tête de Tubage / Casing Head x NW	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 7/8" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Gauche / Left	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x H55 Droite / Right	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x H55 Gauche / Left	N/A	N/A	N/A	N/A
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD056RHFT	CACD056LHFT	CACD066RHFT	CACD066LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD056RH050M	CACD056LH050M	CACD066RH050M	CACD066LH050M
Tubage / Casing Tube L = 0.75 m	CACD056RH075M	CACD056LH075M	CACD066RH075M	CACD066LH075M
Tubage / Casing Tube L = 1.00 m	CACD056RH100M	CACD056LH100M	CACD066RH100M	CACD066LH100M
Tubage / Casing Tube L = 1.50 m	CACD056RH150M	CACD056LH150M	CACD066RH150M	CACD066LH150M
Tubage / Casing Tube L = 3.00 m	CACD056RH300M	CACD056LH300M	CACD066RH300M	CACD066LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU056S350R0RH	SATU056S350R0LH	SATU066S350R0RH	SATU066S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU056IE50F0RH	SATU056IE50F0LH	SATU066IE50F0RH	SATU066IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU056CPT000RH	SATU056CPT000LH	SATU066CPT000RH	SATU066CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU056CCD000RH	SATU056CCD000LH	SATU066CCD000RH	SATU066CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD056RHPP	CACD056LHPP	CACD066RHPP	CACD066LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD056RHPB	CACD056LHPB	CACD066RHPB	CACD066LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI056CASCHD	CASI056CASCHD	CASI066CASCHD	CASI066CASCHD

Autres longueurs de tube sur demande / Other length of casings on request



+33 (0)3 81 41 30 33

datac@datac-group.com




CAROTTAGE ET FORAGE DIAMANTÉ

DIAMOND CORING AND DRILLING

TUBAGE CASING

COMPATIBLE
AUX NORMES
ISO 3552-1 : 1992

Tubages métriques Metric Casings



SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	76 mm Tubage Casing 74 x 67 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RG60076PC2114UB	LG60076PC2114UB
Tête de Tubage / Casing Head x CR33	RG60076PC30C33B	LG60076PC30C33B
Tête de Tubage / Casing Head x CR42	RG60076PD20C42B	LG60076PD20C42B
Tête de Tubage / Casing Head x CR50	RG60076PE00C50B	LG60076PE00C50B
Tête de Tubage / Casing Head x CR60	RG60076PF00C60B	LG60076PF00C60B
Tête de Tubage / Casing Head x NW	RG60076PF700NWB	LG60076PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RG60076PG7238RB	LG60076PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A
Tête de Tubage / Casing Head x 2 7/8" API Reg	N/A	N/A
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	N/A	N/A
Tête de Tubage / Casing Head x R66 Gauche / Left	N/A	N/A
Tête de Tubage / Casing Head x H55 Droite / Right	N/A	N/A
Tête de Tubage / Casing Head x H55 Gauche / Left	N/A	N/A
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD076RHFT	CACD076LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD076RH050M	CACD076LH050M
Tubage / Casing Tube L = 0.75 m	CACD076RH075M	CACD076LH075M
Tubage / Casing Tube L = 1.00 m	CACD076RH100M	CACD076LH100M
Tubage / Casing Tube L = 1.50 m	CACD076RH150M	CACD076LH150M
Tubage / Casing Tube L = 3.00 m	CACD076RH300M	CACD076LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU076S350R0RH	SATU076S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU076IE50F0RH	SATU076IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU076CPT000RH	SATU076CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU076CCD000RH	SATU076CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD076RHPP	CACD076LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD076RHPB	CACD076LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI076CASCHD	CASI076CASCHD

SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	86 mm Tubage Casing 84 x 77 mm		101 mm Tubage / Casing 98 x 89 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RH60086PC2114UB	LH60086PC2114UB	RJ10101PC2114UB	LJ10101PC2114UB
Tête de Tubage / Casing Head x CR33	RH60086PC30C33B	LH60086PC30C33B	RJ10101PC30C33B	LJ10101PC30C33B
Tête de Tubage / Casing Head x CR42	RH60086PD20C42B	LH60086PD20C42B	RJ10101PD20C42B	LJ10101PD20C42B
Tête de Tubage / Casing Head x CR50	RH60086PE00C50B	LH60086PE00C50B	RJ10101PE00C50B	LJ10101PE00C50B
Tête de Tubage / Casing Head x CR60	RH60086PF00C60B	LH60086PF00C60B	RJ10101PF00C60B	LJ10101PF00C60B
Tête de Tubage / Casing Head x NW	RH60086PF700NWB	LH60086PF700NWB	RJ10101PF700NWB	LJ10101PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RH60086PG7238RB	LH60086PG7238RB	RJ10101PG7238RB	LJ10101PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A	RJ10101PI0238IB	LJ10101PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg	N/A	N/A	RJ10101PI0278RB	LJ10101PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	RH60086PI00R66B	MH60086PI00R66B	RJ10101PI00R66B	MJ10101PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NH60086PI00R66B	LH60086PI00R66B	NJ10101PI00R66B	LJ10101PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RH60086PI00H55B	MH60086PI00H55B	RJ10101PI00H55B	MJ10101PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NH60086PI00H55B	LH60086PI00H55B	NJ10101PI00H55B	LJ10101PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD086RHFT	CACD086LHFT	CACD101RHFT	CACD101LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD086RH050M	CACD086LH050M	CACD101RH050M	CACD101LH050M
Tubage / Casing Tube L = 0.75 m	CACD086RH075M	CACD086LH075M	CACD101RH075M	CACD101LH075M
Tubage / Casing Tube L = 1.00 m	CACD086RH100M	CACD086LH100M	CACD101RH100M	CACD101LH100M
Tubage / Casing Tube L = 1.50 m	CACD086RH150M	CACD086LH150M	CACD101RH150M	CACD101LH150M
Tubage / Casing Tube L = 3.00 m	CACD086RH300M	CACD086LH300M	CACD101RH300M	CACD101LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU086S350R0RH	SATU086S350R0LH	SATU101S350R0RH	SATU101S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU086IE50F0RH	SATU086IE50F0LH	SATU101IE50F0RH	SATU101IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU086CPT000RH	SATU086CPT000LH	SATU101CPT000RH	SATU101CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU086CCD000RH	SATU086CCD000LH	SATU101CCD000RH	SATU101CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD086RHPP	CACD086LHPP	CACD101RHPP	CACD101LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD086RHPB	CACD086LHPB	CACD101RHPB	CACD101LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI086CASCHD	CASI086CASCLHD	CASI101CASCHD	CASI101CASCHD

Autres longueurs de tube sur demande / Other length of casings on request






Tubages métriques

Metric Casings



TUBAGE

CASING



SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	116 mm Tubage / Casing 113 x 104 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RK60116PC2114UB	LK60116PC2114UB
Tête de Tubage / Casing Head x CR33	RK60116PC30C33B	LK60116PC30C33B
Tête de Tubage / Casing Head x CR42	RK60116PD20C42B	LK60116PD20C42B
Tête de Tubage / Casing Head x CR50	RK60116PE00C50B	LK60116PE00C50B
Tête de Tubage / Casing Head x CR60	RK60116PF00C60B	LK60116PF00C60B
Tête de Tubage / Casing Head x NW	RK60116PF700NWB	LK60116PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RK60116PG7238RB	LK60116PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	RK60116PI0238IB	LK60116PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg	RK60116PI0278RB	LK60116PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	RK60116PK5312RB	LK60116PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right	RK60116PI00R66B	MK60116PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NK60116PI00R66B	LK60116PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RK60116PI00H55B	MK60116PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NK60116PI00H55B	LK60116PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD116RHFT	CACD116LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD116RH050M	CACD116LH050M
Tubage / Casing Tube L = 0.75 m	CACD116RH075M	CACD116LH075M
Tubage / Casing Tube L = 1.00 m	CACD116RH100M	CACD116LH100M
Tubage / Casing Tube L = 1.50 m	CACD116RH150M	CACD116LH150M
Tubage / Casing Tube L = 3.00 m	CACD116RH300M	CACD116LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU116S350R0RH	SATU116S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU116IE50F0RH	SATU116IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU116CPT000RH	SATU116CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU116CCD000RH	SATU116CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD116RHPP	CACD116LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD116RHPB	CACD116LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI116CASCHD	CASI116CASCHD

SÉRIES MÉTRIQUES / METRIC SERIES

N° Article / Part No.

Description / Description	131 mm Tubage / Casing 128 x 119 mm		146 mm Tubage / Casing 143 x 134 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RM10131PC2114UB	LM10131PC2114UB	RN60146PC2114UB	LN60146PC2114UB
Tête de Tubage / Casing Head x CR33	RM10131PC30C33B	LM10131PC30C33B	RN60146PC30C33B	LN60146PC30C33B
Tête de Tubage / Casing Head x CR42	RM10131PD20C42B	LM10131PD20C42B	RN60146PD20C42B	LN60146PD20C42B
Tête de Tubage / Casing Head x CR50	RM10131PE00C50B	LM10131PE00C50B	RN60146PE00C50B	LN60146PE00C50B
Tête de Tubage / Casing Head x CR60	RM10131PF00C60B	LM10131PF00C60B	RN60146PF00C60B	LN60146PF00C60B
Tête de Tubage / Casing Head x NW	RM10131PF700NWB	LM10131PF700NWB	RN60146PF700NWB	LN60146PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RM10131PG7238RB	LM10131PG7238RB	RN60146PG7238RB	LN60146PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	RM10131PI0238IB	LM10131PI0238IB	RN60146PI0238IB	LN60146PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg	RM10131PI0278RB	LM10131PI0278RB	RN60146PI0278RB	LN60146PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	RM10131PK5312RB	LM10131PK5312RB	RN60146PK5312RB	LN60146PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right	RM10131PI00R66B	MM10131PI00R66B	RN60146PI00R66B	MN60146PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NM10131PI00R66B	LM10131PI00R66B	NN60146PI00R66B	LN60146PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RM10131PI00H55B	MM10131PI00H55B	RN60146PI00H55B	MN60146PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NM10131PI00H55B	LM10131PI00H55B	NN60146PI00H55B	LN60146PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection	2 CACD131RHFT	CACD131LHFT	CACD146RHFT	CACD146LHFT
Tubage / Casing Tube L = 0.50 m	3 CACD131RH050M	CACD131LH050M	CACD146RH050M	CACD146LH050M
Tubage / Casing Tube L = 0.75 m	CACD131RH075M	CACD131LH075M	CACD146RH075M	CACD146LH075M
Tubage / Casing Tube L = 1.00 m	CACD131RH100M	CACD131LH100M	CACD146RH100M	CACD146LH100M
Tubage / Casing Tube L = 1.50 m	CACD131RH150M	CACD131LH150M	CACD146RH150M	CACD146LH150M
Tubage / Casing Tube L = 3.00 m	CACD131RH300M	CACD131LH300M	CACD146RH300M	CACD146LH300M
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU131S350R0RH	SATU131S350R0LH	SATU146S350R0RH	SATU146S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU131IE50F0RH	SATU131IE50F0LH	SATU146IE50F0RH	SATU146IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU131CPT000RH	SATU131CPT000LH	SATU146CPT000RH	SATU146CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU131CCD000RH	SATU131CCD000LH	SATU146CCD000RH	SATU146CCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CACD131RHPP	CACD131LHPP	CACD146RHPP	CACD146LHPP
Protecteur de filetage femelle / Box Thread Protector	CACD131RHPB	CACD131LHPB	CACD146RHPB	CACD146LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CASI131CASCHD	CASI131CASCHD	CASI146CASCHD	CASI146CASCHD

Autres longueurs de tube sur demande / Other length of casings on request



+33 (0)3 81 41 30 33

a datc@datc-group.com



CAROTTAGE ET FORAGE DIAMANTÉ

DIAMOND CORING AND DRILLING


TUBAGE CASING

Tubages BS / DCDMA BS / DCDMA Casings


SÉRIE W / W RANGE

DATC produit tous les types de tubages de forage BS / DCDMA / ISO 3551-1 selon les standards internationaux. Utilisant de l'acier de qualité européenne et un procédé de fabrication contrôlée, DATC propose 2 niveaux de technicité pour répondre aux exigences de chaque utilisateur.

DATC manufactures all types of BS / DCDMA / ISO 3551-1 Wireline casings in accordance with international standards. Using European steel quality under a controlled manufacturing process, DATC proposes two levels of technicality to meet the requirements of every user.



Process de fabrication : étirage à froid
Production Process: cold drawing



Process de fabrication : laminage à chaud
Production Process: hot rolling

DONNÉES TECHNIQUES / TECHNICAL DATA

Tube en acier de précision sans soudure
— Étiré à froid —

Seamless precision steel tube
— Cold drawn —

grade d'acier	N80	1541	40CrMnV6
Limite élastique Yield Strength	≥ 550 Mpa	≥ 730 Mpa	≥ 850 Mpa
Résistance à la traction Ultimate Tensile Strength	≥ 690 Mpa	≥ 820 Mpa	≥ 950 Mpa
Allongement Elongation	18%	15%	15%

DONNÉES TECHNIQUES / TECHNICAL DATA

Tube en acier grade V80 sans soudure
— Laminé à chaud —

Seamless V80 grade steel tube
— Hot rolled —

grade d'acier	V80
Limite élastique Yield Strength	≥ 560 Mpa
Résistance à la traction Ultimate Tensile Strength	≥ 690 Mpa
Allongement Elongation	10%

TAILLES DISPONIBLE / AVAILABLE SIZES

taille size	grade d'acier steel grade
AW	N80
BW	N80
NW	1541
HW	1541
PW	40CrMnV6
SW	N80

TAILLES DISPONIBLE / AVAILABLE SIZES

taille size	grade d'acier steel grade
PW	V80
SW	V80
UW	V80
ZW	V80






Tubages BS / DCDMA BS / DCDMA Casings

COMPATIBLE
AUX NORMES
ISO 3551-1 : 1992

TUBAGE CASING



CARACTÉRISTIQUES / FEATURES

Tailles / Sizes	Tubage / Casing		Tige / Drill Rod	Carottier / Corebarrel
	DE/OD	DI/ID		TYPE
S(146)	PW 139.7	PW 127.0	NWY	T6-146
			NWJ HW HWY GEOBOR S	GEOBOR S
P(121)	HW 114.3	HW 101.6	PWL	PWL
H(89)	NW 88.9	NW 76.6	NW	T6-101
			NWY NWJ HW HWY HWL	HWL
N(76)	BW 73.0	BW 60.3	NW NWY NWJ NWL	T6-76 NWL
B(60)	AW 57.1	AW 48.4	BW BWJ BWL	BWL
A(80)			AW AWJ AWL	AWL

Type tubage / Casings Range	AW	BW	NW	HW	PW	SW	UW	ZW
Poids tubage kg/m / Casing Weight kg/m	5.8	10.6	12.9	17.4	21.5	25.3	32.0	41.3






CAROTTAGE ET FORAGE DIAMANTÉ

DIAMOND CORING AND DRILLING



TUBAGE CASING

COMPATIBLE
AUX NORMES
ISO 3551-1 : 1992

Tubages BS / DCDMA
BS / DCDMA Casings



CODIFICATION DES TUBAGES / CASING CODES



SÉRIES BS/DCDMA / BS/DCDMA SERIES

N° Article / Part No.

Description / Description	AW Tubage / Casing 57.10 x 48.40 mm		BW Tubage / Casing 73.00 x 60.30 mm	
	Filetage à Droite / RH	Filetage à Gauche / LH	Filetage à Droite / RH	Filetage à Gauche / LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RE70CAWPC2114UB	LE70CAWPC2114UB	RG30CBWPC2114UB	LG30CBWPC2114UB
Tête de Tubage / Casing Head x CR33	RE70CAWPC30C33B	LE70CAWPC30C33B	RG30CBWPC30C33B	LG30CBWPC30C33B
Tête de Tubage / Casing Head x CR42	RE70CAWPD20C42B	LE70CAWPD20C42B	RG30CBWPD20C42B	LG30CBWPD20C42B
Tête de Tubage / Casing Head x CR50	RE70CAWPE00C50B	LE70CAWPE00C50B	RG30CBWPE00C50B	LG30CBWPE00C50B
Tête de Tubage / Casing Head x CR60	N/A	N/A	RG30CBWPF00C60B	LG30CBWPF00C60B
Tête de Tubage / Casing Head x NW	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 2 1/2" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Gauche / Left	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x H55 Droite / Right	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x H55 Gauche / Left	N/A	N/A	N/A	N/A
Fontaine / Casing Head with Lateral Ejection	2 CASH0AWRHFT	CASH0AWLHFT	CASH0BWRHFT	CASH0BWLHFT
Tubage / Casing Tube ELITE - L = 0.50 m	3 CASH0AWRH050M	CASH0AWLH050M	CASH0BWRH050ME	CASH0BWLH050ME
Tubage / Casing Tube GEO - L = 0.50 m	-	-	-	-
Tubage / Casing Tube ELITE - L = 1.50 m	CASH0AWRH150M	CASH0AWLH150M	CASH0BWRH150ME	CASH0BWLH150ME
Tubage / Casing Tube GEO - L = 1.50 m	-	-	-	-
Tubage / Casing Tube ELITE - L = 3.00 m	CASH0AWRH300M	CASH0AWLH300M	CASH0BWRH300ME	CASH0BWLH300ME
Tubage / Casing Tube GEO - L = 3.00 m	-	-	-	-
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU0AWS350R0RH	SATU0AWS350R0LH	SATU0BWS350R0RH	SATU0BWS350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU0AWIE50F0RH	SATU0AWIE50F0LH	SATU0BWIE50F0RH	SATU0BWIE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU0AWCPT000RH	SATU0AWCPT000LH	SATU0BWCPT000RH	SATU0BWCPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU0AWCCD000RH	SATU0AWCCD000LH	SATU0BWCCD000RH	SATU0BWCCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CASH0AWRHPP	CASH0AWLHPP	CASH0BWRHPP	CASH0BWLHPP
Protecteur de filetage femelle / Box Thread Protector	CASH0AWRHPB	CASH0AWLHPB	CASH0BWRHPB	CASH0BWLHPB
Collier de Tubage Haute Résistance Heavy Duty Casing Clamp	5 CASI0AWCASCHD	CASI0AWCASCHD	CASI0BWCASCHD	CASI0BWCASCHD

Autres longueurs de tube sur demande / Other casing lengths on request







Tubages BS / DCDMA BS / DCDMA Casings

COMPATIBLE
AUX NORMES
ISO 3551-1 : 1992

TUBAGE CASING



CODIFICATION DES TUBAGES / CASING CODES



SÉRIES BS/DCDMA / BS/DCDMA SERIES

N° Article / Part No.

Description / Description	NW Tubage / Casing 88.90 x 76.60 mm		HW Tubage / Casing 114.30 x 101.60 mm	
	Filetage à Droite / RH	Filetage à Gauche / LH	Filetage à Droite / RH	Filetage à Gauche / LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RH90CNWPC2114UB	LH90CNWPC2114UB	RK40CHWPC2114UB	LK40CHWPC2114UB
Tête de Tubage / Casing Head x CR33	RH90CNWPC30C33B	LH90CNWPC30C33B	RK40CHWPC30C33B	LK40CHWPC30C33B
Tête de Tubage / Casing Head x CR42	RH90CNWPD20C42B	LH90CNWPD20C42B	RK40CHWPD20C42B	LK40CHWPD20C42B
Tête de Tubage / Casing Head x CR50	RH90CNWPE00C50B	LH90CNWPE00C50B	RK40CHWPE00C50B	LK40CHWPE00C50B
Tête de Tubage / Casing Head x CR60	RH90CNWPF00C60B	LH90CNWPF00C60B	RK40CHWPF00C60B	LK40CHWPF00C60B
Tête de Tubage / Casing Head x NW	RH90CNWPF700NWB	LH90CNWPF700NWB	RK40CHWPF700NWB	LK40CHWPF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RH90CNWPG7238RB	LH90CNWPG7238RB	RK40CHWPG7238RB	LK40CHWPG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	N/A	N/A	RK40CHWPI0238IB	LK40CHWPI0238IB
Tête de Tubage / Casing Head x 2 1/2" API Reg	N/A	N/A	RK40CHWPI0278RB	LK40CHWPI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	N/A	N/A	N/A	N/A
Tête de Tubage / Casing Head x R66 Droite / Right	RH90CNWPI00R66B	MH90CNWPI00R66B	RK40CHWPI00R66B	MK40CHWPI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NH90CNWPI00R66B	LH90CNWPI00R66B	NK40CHWPI00R66B	LK40CHWPI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RH90CNWPI00H55B	MH90CNWPI00H55B	RK40CHWPI00H55B	MK40CHWPI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NH90CNWPI00H55B	LH90CNWPI00H55B	NK40CHWPI00H55B	LK40CHWPI00H55B
Fontaine / Casing Head with Lateral Ejection	2 CASH0NWRHFT	CASH0NWLHFT	CASH0HWRHFT	CASH0HWLHFT
Tubage / Casing Tube ELITE - L = 0.50 m	3 CASH0NWRH050ME	CASH0NWLH050ME	CASH0HWRH050ME	CASH0HWLH050ME
Tubage / Casing Tube GEO - L = 0.50 m	-	-	-	-
Tubage / Casing Tube ELITE - L = 1.50 m	CASH0NWRH150ME	CASH0NWLH150ME	CASH0HWRH150ME	CASH0HWLH150ME
Tubage / Casing Tube GEO - L = 1.50 m	-	-	-	-
Tubage / Casing Tube ELITE - L = 3.00 m	CASH0NWRH300ME	CASH0NWLH300ME	CASH0HWRH300ME	CASH0HWLH300ME
Tubage / Casing Tube GEO - L = 3.00 m	-	-	-	-
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU0NWS350R0RH	SATU0NWS350R0LH	SATU0HWS350R0RH	SATU0HWS350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU0NWIE50FORH	SATU0NWIE50FOLH	SATU0HWIE50FORH	SATU0HWIE50FOLH
Sabot de tubage TC / TC Casing Shoe	SATU0NWCPT000RH	SATU0NWCPT000LH	SATU0HWCPT000RH	SATU0HWCPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU0NWCCD000RH	SATU0NWCCD000LH	SATU0HWCCD000RH	SATU0HWCCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CASH0NWRHPP	CASH0NWLHPP	CASH0HWRHPP	CASH0HWLHPP
Protecteur de filetage femelle / Box Thread Protector	CASH0NWRHPB	CASH0NWLHPB	CASH0HWRHPB	CASH0HWLHPB
Collier de Tubage Haute Résistance Heavy Duty Casing Clamp	5 CASI0NWCASCHD	CASI0NWCASCHD	CASI0HWCASCHD	CASI0HWASCHD

Autres longueurs de tube sur demande / Other casing lengths on request




CAROTTAGE ET FORAGE DIAMANTÉ

DIAMOND CORING AND DRILLING


TUBAGE CASING

COMPATIBLE
AUX NORMES
ISO 3551-1 : 1992

Tubages BS / DCDMA
BS / DCDMA Casings



CODIFICATION DES TUBAGES / CASING CODES



SÉRIES BS/DCDMA / BS/DCDMA SERIES

N° Article / Part No.

Description / Description	PW Tubage / Casing 139.70 x 127.00 mm * ELITE : 139.70 x 125.5 mm		SW Tubage / Casing 168.30 x 155.60 mm	
	Filetage à Droite / RH	Filetage à Gauche / LH	Filetage à Droite / RH	Filetage à Gauche / LH
Tête de Tubage / Casing Head x 1 1/4" UNC Tête de Tubage / Casing Head x CR33 Tête de Tubage / Casing Head x CR42 Tête de Tubage / Casing Head x CR50 Tête de Tubage / Casing Head x CR60 Tête de Tubage / Casing Head x NW Tête de Tubage / Casing Head x 2 3/8" API Reg Tête de Tubage / Casing Head x 2 3/8" API IF Tête de Tubage / Casing Head x 2 1/2" API Reg Tête de Tubage / Casing Head x 3 1/2" API Reg Tête de Tubage / Casing Head x R66 Droite / Right Tête de Tubage / Casing Head x R66 Gauche / Left Tête de Tubage / Casing Head x H55 Droite / Right Tête de Tubage / Casing Head x H55 Gauche / Left	1 RM90CPWPC2114UB RM90CPWPC30C33B RM90CPWPD20C42B RM90CPWPE00C50B RM90CPWPF00C60B RM90CPWPF700NWB RM90CPWPG7238RB RM90CPWPI0238IB RM90CPWPI0278RB RM90CPWPK5312RB RM90CPWPI00R66B NM90CPWPI00R66B RM90CPWPI00H55B NM90CPWPI00H55B	LM90CPWPC2114UB LM90CPWPC30C33B LM90CPWPD20C42B LM90CPWPE00C50B LM90CPWPF00C60B LM90CPWPF700NWB LM90CPWPG7238RB LM90CPWPI0238IB LM90CPWPI0278RB LM90CPWPK5312RB MM90CPWPI00R66B LM90CPWPI00R66B MM90CPWPI00H55B LM90CPWPI00H55B	RP80CSWPC2114UB RP80CSWPC30C33B RP80CSWPD20C42B RP80CSWPE00C50B RP80CSWPF00C60B RP80CSWPF700NWB RP80CSWPG7238RB RP80CSWPI0238IB RP80CSWPI0278RB RP80CSWPK5312RB RP80CSWPI00R66B NP80CSWPI00R66B RP80CSWPI00H55B NP80CSWPI00H55B	LP80CSWPC2114UB LP80CSWPC30C33B LP80CSWPD20C42B LP80CSWPE00C50B LP80CSWPF00C60B LP80CSWPF700NWB LP80CSWPG7238RB LP80CSWPI0238IB LP80CSWPI0278RB LP80CSWPK5312RB MP80CSWPI00R66B MP80CSWPI00R66B MP80CSWPI00H55B LP80CSWPI00H55B
Fontaine / Casing Head with Lateral Ejection	2 CASH0PWRHFT	CASH0PWLHFT	CASH0SWRHFT	CASH0SWLHFT
Tubage / Casing Tube ELITE - L = 0.50 m Tubage / Casing Tube GEO - L = 0.50 m Tubage / Casing Tube ELITE - L = 1.50 m Tubage / Casing Tube GEO - L = 1.50 m Tubage / Casing Tube ELITE - L = 3.00 m Tubage / Casing Tube GEO - L = 3.00 m	3 CASH0PWRH050ME* CASH0PWRH050MG CASH0PWRH150ME* CASH0PWRH150MG CASH0PWRH300ME* CASH0PWRH300MG	CASH0PWLH050ME* CASH0PWLH050MG CASH0PWLH150ME* CASH0PWLH150MG CASH0PWLH300ME* CASH0PWLH300MG	CASH0SWRH050ME CASH0SWRH050MG CASH0SWRH150ME CASH0SWRH150MG CASH0SWRH300ME CASH0SWRH300MG	CASH0SWLH050ME CASH0SWLH050MG CASH0SWLH150ME CASH0SWLH150MG CASH0SWLH300ME CASH0SWLH300MG
Sabot de tubage serti / Surface Set Casing Shoe Sabot de tubage imprégné / Impregnated Casing Shoe Sabot de tubage TC / TC Casing Shoe Sabot de tubage CarboDrill / CarboDrill Casing Shoe Protecteur de filetage mâle / Pin Thread Protector Protecteur de filetage femelle / Box Thread Protector	4 SATU0PWS350R0RH SATU0PWIE50FORH SATU0PWCP000RH SATU0PWCCD000RH CASH0PWRHPP CASH0PWRHPB	SATU0PWS350R0LH SATU0PWIE50FOLH SATU0PWCP000LH SATU0PWCCD000LH CASH0PWLHPP CASH0PWLHPB	SATU0SWS350R0RH SATU0SWIE50FORH SATU0SWCPT000RH SATU0SWCCD000RH CASH0SWRHPP CASH0SWRHPPB	SATU0SWS350R0LH SATU0SWIE50FOLH SATU0SWCPT000LH SATU0SWCCD000LH CASH0SWLHPP CASH0SWLHPB
Collier de Tubage Haute Résistance Heavy Duty Casing Clamp	5 CASI0PWCASCHD	CASI0PWCASCHD	CASI0SWCASCHD	CASI0SWCASCHD

Autres longueurs de tube sur demande / Other casing lengths on request







Tubages BS / DCDMA BS / DCDMA Casings

COMPATIBLE
AUX NORMES
ISO 3551-1 : 1992

TUBAGE CASING



CODIFICATION DES TUBAGES / CASING CODES



SÉRIES BS/DCDMA / BS/DCDMA SERIES

N° Article / Part No.

Description / Description	UW Tubage / Casing 193.70 x 179.70 mm		ZW Tubage / Casing 219.10 x 203.20 mm	
	Filetage à Droite / RH	Filetage à Gauche / LH	Filetage à Droite / RH	Filetage à Gauche / LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RS30CUWPC2114UB	LS30CUWPC2114UB	RU90CZWPC2114UB	LU90CZWPC2114UB
Tête de Tubage / Casing Head x CR33	RS30CUWPC30C33B	LS30CUWPC30C33B	RU90CZWPC30C33B	LU90CZWPC30C33B
Tête de Tubage / Casing Head x CR42	RS30CUWPD20C42B	LS30CUWPD20C42B	RU90CZWPD20C42B	LU90CZWPD20C42B
Tête de Tubage / Casing Head x CR50	RS30CUWPE00C50B	LS30CUWPE00C50B	RU90CZWPE00C50B	LU90CZWPE00C50B
Tête de Tubage / Casing Head x CR60	RS30CUWPF00C60B	LS30CUWPF00C60B	RU90CZWPF00C60B	LU90CZWPF00C60B
Tête de Tubage / Casing Head x NW	RS30CUWPF700NWB	LS30CUWPF700NWB	RU90CZWPF700NWB	LU90CZWPF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg	RS30CUWPG7238RB	LS30CUWPG7238RB	RU90CZWPG7238RB	LU90CZWPG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF	RS30CUWPI0238IB	LS30CUWPI0238IB	RU90CZWPI0238IB	LU90CZWPI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg	RS30CUWPI0278RB	LS30CUWPI0278RB	RU90CZWPI0278RB	LU90CZWPI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	RS30CUWPK5312RB	LS30CUWPK5312RB	RU90CZWPK5312RB	LU90CZWPK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right	RS30CUWPI00R66B	MS30CUWPI00R66B	RU90CZWPI00R66B	MU90CZWPI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NS30CUWPI00R66B	LS30CUWPI00R66B	NU90CZWPI00R66B	LU90CZWPI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RS30CUWPI00H55B	MS30CUWPI00H55B	RU90CZWPI00H55B	MU90CZWPI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NS30CUWPI00H55B	LS30CUWPI00H55B	NU90CZWPI00H55B	LU90CZWPI00H55B
Fontaine / Casing Head with Lateral Ejection	2 CASH0UWRHFT	CASH0UWLHFT	CASH0ZWRHFT	CASH0ZWLHFT
Tubage / Casing Tube GEO - L = 0.50 m	3 CASH0UWRH050MG	CASH0UWLH050MG	CASH0ZWRH050MG	CASH0ZWLH050MG
Tubage / Casing Tube GEO - L = 1.50 m	CASH0UWRH150MG	CASH0UWLH150MG	CASH0ZWRH150MG	CASH0ZWLH150MG
Tubage / Casing Tube GEO - L = 3.00 m	CASH0UWRH300MG	CASH0UWLH300MG	CASH0ZWRH300MG	CASH0ZWLH300MG
Sabot de tubage serti / Surface Set Casing Shoe	4 SATU0UWS350R0RH	SATU0UWS350R0LH	SATU0ZWS350R0RH	SATU0ZWS350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SATU0UWIE50F0RH	SATU0UWIE50F0LH	SATU0ZWIE50F0RH	SATU0ZWIE50F0LH
Sabot de tubage TC / TC Casing Shoe	SATU0UWCPT000RH	SATU0UWCPT000LH	SATU0ZWCPT000RH	SATU0ZWCPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SATU0UWCCD000RH	SATU0UWCCD000LH	SATU0ZWCCD000RH	SATU0ZWCCD000LH
Protecteur de filetage mâle / Pin Thread Protector	CASH0UWRHPP	CASH0UWLHPP	CASH0ZWRHPP	CASH0ZWLHPP
Protecteur de filetage femelle / Box Thread Protector	CASH0UWRHPB	CASH0UWLHPB	CASH0ZWRHPB	CASH0ZWLHPB
Collier de Tubage Haute Résistance Heavy Duty Casing Clamp	5 CASI0UWCASCHD	CASI0UWCASCHD	CASI0ZWCASCHD	CASI0ZWCASCHD

Autres longueurs de tube sur demande / Other casing lengths on request



+33 (0)3 81 41 30 33

datac@datac-group.com



Tubages LS

LS Casings



N° Article / Part No.

Description / Description		LS-95 Tubage / Casing 95 x 80/77 mm		
		Filetage à Droite/RH	Filetage à Gauche/LH	
Tête de Tubage / Casing Head x 1 ¼" UNC		1	R15L095PC2114UB	L15L095PC2114UB
Tête de Tubage / Casing Head x CR33			R15L095PC30C33B	L15L095PC30C33B
Tête de Tubage / Casing Head x CR42			R15L095PD20C42B	L15L095PD20C42B
Tête de Tubage / Casing Head x CR50			R15L095PE00C50B	L15L095PE00C50B
Tête de Tubage / Casing Head x CR60			R15L095PF00C60B	L15L095PF00C60B
Tête de Tubage / Casing Head x NW			N/A	N/A
Tête de Tubage / Casing Head x 2 ¾" API Reg			R15L095PG7238RB	L15L095PG7238RB
Tête de Tubage / Casing Head x 2 ¾" API IF			R15L095PI0238IB	L15L095PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg			R15L095PI0278RB	L15L095PI0278RB
Tête de Tubage / Casing Head x 3 ½" API Reg			R15L095PK5312RB	L15L095PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right			R15L095PI00R66B	M15L095PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left			N15L095PI00R66B	L15L095PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right			R15L095PI00H55B	M15L095PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left			N15L095PI00H55B	L15L095PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection		2	CALS095RHFT	CALS095LHFT
Tubage complet avec raccord / Complete Casing with Coupling	L = 0.50 m	3	CALS095RH050M	CALS095LH050M
Tubage complet avec raccord / Complete Casing with Coupling	L = 0.75 m		CALS095RH075M	CALS095LH075M
Tubage complet avec raccord / Complete Casing with Coupling	L = 1.00 m		CALS095RH100M	CALS095LH100M
Tubage complet avec raccord / Complete Casing with Coupling	L = 1.50 m		CALS095RH150M	CALS095LH150M
Tubage complet avec raccord / Complete Casing with Coupling	L = 3.00 m		CALS095RH300M	CALS095LH300M
Tubage seul FxF / BxB Casing Only	L = 0.50 m		CALS095RH050MBB	CALS095LH050MBB
Tubage seul FxF / BxB Casing Only	L = 0.75 m		CALS095RH075MBB	CALS095LH075MBB
Tubage seul FxF / BxB Casing Only	L = 1.00 m	3a	CALS095RH100MBB	CALS095LH100MBB
Tubage seul FxF / BxB Casing Only	L = 1.50 m		CALS095RH150MBB	CALS095LH150MBB
Tubage seul FxF / BxB Casing Only	L = 3.00 m		CALS095RH300MBB	CALS095LH300MBB
Raccord MxM / PxP Coupling		3b	CALS095RHRAMM	CALS095LHRAMM
Sabot de tubage serti / Surface Set Casing Shoe		4	SALS095S350R0RH	SALS095S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe			SALS095IE50F0RH	SALS095IE50F0LH
Sabot de tubage TC / TC Casing Shoe			SALS095CPT000RH	SALS095CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe			SALS095CCD000RH	SALS095CCD000LH
Sabot stellité ondulé / Corrugated Stellited Casing Shoe			SALS095ONDSTERRH	SALS095ONDSTELRH
Sabot stellité ondulé avec lamelle / Corrugated Stellited Casing Shoe with Basket			SALS095ONSTLARRH	SALS095ONSTLARRH
Protecteur de filetage mâle / Pin Thread Protector			CALS095RHPP	CALS095LHPP
Protecteur de filetage femelle / Box Thread Protector			CALS095RHPB	CALS095LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp		5	CALS095CASCHD	CALS095CASCHD

SÉRIES LS / LS SERIES

N° Article / Part No.

Description / Description	LS-114 Tubage / Casing 114.30x103.10/98 mm		LS-140 Tubage / Casing 139.70x127.00/121.70 mm	
	Filetage à Droite/RH	Filetage à Gauche/LH	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC	1 RK4L114PC2114UB	LK4L114PC2114UB	RNOL140PC2114UB	LNOL140PC2114UB
Tête de Tubage / Casing Head x CR33	RK4L114PC30C33B	LK4L114PC30C33B	RNOL140PC30C33B	LNOL140PC30C33B
Tête de Tubage / Casing Head x CR42	RK4L114PD20C42B	LK4L114PD20C42B	RNOL140PD20C42B	LNOL140PD20C42B
Tête de Tubage / Casing Head x CR50	RK4L114PE00C50B	LK4L114PE00C50B	RNOL140PE00C50B	LNOL140PE00C50B
Tête de Tubage / Casing Head x CR60	RK4L114PF00C60B	LK4L114PF00C60B	RNOL140PF00C60B	LNOL140PF00C60B
Tête de Tubage / Casing Head x NW	RK4L114PF700NWB	LK4L114PF700NWB	RNOL140PF700NWB	LNOL140PF700NWB
Tête de Tubage / Casing Head x 2 1/2" API Reg	RK4L114PG7238RB	LK4L114PG7238RB	RNOL140PG7238RB	LNOL140PG7238RB
Tête de Tubage / Casing Head x 2 1/2" API IF	RK4L114PI0238IB	LK4L114PI0238IB	RNOL140PI0238IB	LNOL140PI0238IB
Tête de Tubage / Casing Head x 2 1/2" API Reg	RK4L114PI0278RB	LK4L114PI0278RB	RNOL140PI0278RB	LNOL140PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg	RK4L114PK5312RB	LK4L114PK5312RB	RNOL140PK5312RB	LNOL140PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right	RK4L114PI00R66B	MK4L114PI00R66B	RNOL140PI00R66B	MNOL140PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left	NK4L114PI00R66B	LK4L114PI00R66B	NNOL140PI00R66B	LNOL140PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right	RK4L114PI00H55B	MK4L114PI00H55B	RNOL140PI00H55B	MNOL140PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left	NK4L114PI00H55B	LK4L114PI00H55B	NNOL140PI00H55B	LNOL140PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection	2 CALS114RHFT	CALS114LHFT	CALS140RHFT	CALS140LHFT
Tubage complet avec raccord L = 0.50 m	3 CALS114RH050M	CALS114LH050M	CALS140RH050M	CALS140LH050M
Tubage complet avec raccord L = 0.75 m	CALS114RH075M	CALS114LH075M	CALS140RH075M	CALS140LH075M
Tubage complet avec raccord L = 1.00 m	CALS114RH100M	CALS114LH100M	CALS140RH100M	CALS140LH100M
Tubage complet avec raccord L = 1.50 m	CALS114RH150M	CALS114LH150M	CALS140RH150M	CALS140LH150M
Tubage complet avec raccord L = 3.00 m	CALS114RH300M	CALS114LH300M	CALS140RH300M	CALS140LH300M
Tubage seul Fx F / BxB Casing Only L = 0.50 m	3a CALS114RH050MBB	CALS114LH050MBB	CALS140RH050MBB	CALS140LH050MBB
Tubage seul Fx F / BxB Casing Only L = 0.75 m	CALS114RH075MBB	CALS114LH075MBB	CALS140RH075MBB	CALS140LH075MBB
Tubage seul Fx F / BxB Casing Only L = 1.00 m	CALS114RH100MBB	CALS114LH100MBB	CALS140RH100MBB	CALS140LH100MBB
Tubage seul Fx F / BxB Casing Only L = 1.50 m	CALS114RH150MBB	CALS114LH150MBB	CALS140RH150MBB	CALS140LH150MBB
Tubage seul Fx F / BxB Casing Only L = 3.00 m	CALS114RH300MBB	CALS114LH300MBB	CALS140RH300MBB	CALS140LH300MBB
Raccord MxM / PxP Coupling	3b CALS114RHRAMM	CALS114LHRAMM	CALS140RHRAMM	CALS140LHRAMM
Sabot de tubage serti / Surface Set Casing Shoe	4 SALS114S350R0RH	SALS114S350R0LH	SALS140S350R0RH	SALS140S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe	SALS114IE50F0RH	SALS114IE50F0LH	SALS140IE50F0RH	SALS140IE50F0LH
Sabot de tubage TC / TC Casing Shoe	SALS114CPT000RH	SALS114CPT000LH	SALS140CPT000RH	SALS140CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe	SALS114CCD000RH	SALS114CCD000LH	SALS140CCD000RH	SALS140CCD000LH
Sabot stellité ondulé / Corrugated Stellite Casing Shoe	SALS114ONDSTERRH	SALS114ONDSTERRH	SALS140ONDSTERRH	SALS140ONDSTERRH
Sabot stellité ondulé avec lamelle / Corrugated Stellite Casing Shoe with Basket	SALS114ONSTLARH	SALS114ONSTLALH	SLAS140ONSTLARH	SLAS140ONSTLALH
Protecteur de filetage mâle / Pin Thread Protector	CALS114RHPP	CALS114LHPP	CALS140RHPP	CALS140LHPP
Protecteur de filetage femelle / Box Thread Protector	CALS114RHPB	CALS114LHPB	CALS140RHPB	CALS140LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp	5 CALS114CASCHD	CALS114CASCHD	CALS140CASCHD	CALS140CASCHD

Autres longueurs de tube sur demande / Other casing lengths on request




Tubages LS

LS Casings

TUBAGE

CASING



SÉRIES LS / LS SERIES		N° Article / Part No.	
Description / Description		LS-168 Tubage / Casing 168.30x155.60/149mm	
		Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC		● RP8L168PC2114UB	LP8L168PC2114UB
Tête de Tubage / Casing Head x CR33		RP8L168PC30C33B	LP8L168PC30C33B
Tête de Tubage / Casing Head x CR42		RP8L168PD20C42B	LP8L168PD20C42B
Tête de Tubage / Casing Head x CR50		RP8L168PE00C50B	LP8L168PE00C50B
Tête de Tubage / Casing Head x CR60		RP8L168PF00C60B	LP8L168PF00C60B
Tête de Tubage / Casing Head x NW		RP8L168PF700NWB	LP8L168PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg		RP8L168PG7238RB	LP8L168PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF		RP8L168PI0238IB	LP8L168PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg		RP8L168PI0278RB	LP8L168PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg		RP8L168PK5312RB	LP8L168PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right		RP8L168PI00R66B	MP8L168PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left		NP8L168PI00R66B	LP8L168PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right		RP8L168PI00H55B	MP8L168PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left		NP8L168PI00H55B	LP8L168PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection		● 2 CALS168RHFT	CALS168LHFT
Tubage complet avec raccord / Complete Casing with Coupling L = 0.50 m		3 CALS168RH050M	CALS168LH050M
Tubage complet avec raccord / Complete Casing with Coupling L = 0.75 m		3 CALS168RH075M	CALS168LH075M
Tubage complet avec raccord / Complete Casing with Coupling L = 1.00 m		3 CALS168RH100M	CALS168LH100M
Tubage complet avec raccord / Complete Casing with Coupling L = 1.50 m		3 CALS168RH150M	CALS168LH150M
Tubage complet avec raccord / Complete Casing with Coupling L = 3.00 m		3 CALS168RH300M	CALS168LH300M
Tubage seul Fx/F / BxB Casing Only L = 0.50 m		3a CALS168RH050MBB	CALS168LH050MBB
Tubage seul Fx/F / BxB Casing Only L = 0.75 m		3a CALS168RH075MBB	CALS168LH075MBB
Tubage seul Fx/F / BxB Casing Only L = 1.00 m		3a CALS168RH100MBB	CALS168LH100MBB
Tubage seul Fx/F / BxB Casing Only L = 1.50 m		3a CALS168RH150MBB	CALS168LH150MBB
Tubage seul Fx/F / BxB Casing Only L = 3.00 m		3a CALS168RH300MBB	CALS168LH300MBB
Raccord MxM / PxP Coupling		3b CALS168RHRAMM	CALS168LHRAMM
Sabot de tubage serti / Surface Set Casing Shoe		4 SALS168S350R0RH	SALS168S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe		4 SALS168IE50F0RH	SALS168IE50F0LH
Sabot de tubage TC / TC Casing Shoe		4 SALS168CPT000RH	SALS168CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe		4 SALS168CCD000RH	SALS168CCD000LH
Sabot stellite ondulé / Corrugated Stellite Casing Shoe		4 SALS168ONDSTERH	SALS168ONDSTERLH
Sabot stellite ondulé avec lamelle / Corrugated Stellite Casing Shoe with Basket		4 SLAS168ONSTLARH	SLAS168ONSTLALH
Protecteur de filetage mâle / Pin Thread Protector		CALS168RHPP	CALS168LHPP
Protecteur de filetage femelle / Box Thread Protector		CALS168RHPB	CALS168LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp		5 CALS168CASCHD	CALS168CASCHD

SÉRIES LS / LS SERIES

N° Article / Part No.

Description / Description		LS-194 Tubage / Casing 193.70x179.10/174.40mm		LS-220 Tubage / Casing 219.10x203.00/200 mm	
		Filetage à Droite/RH	Filetage à Gauche/LH	Filetage à Droite/RH	Filetage à Gauche/LH
Tête de Tubage / Casing Head x 1 1/4" UNC		● 1 RS4L194PC2114UB	LS4L194PC2114UB	RV0L220PC2114UB	LV0L220PC2114UB
Tête de Tubage / Casing Head x CR33		1 RS4L194PC30C33B	LS4L194PC30C33B	RV0L220PC30C33B	LV0L220PC30C33B
Tête de Tubage / Casing Head x CR42		1 RS4L194PD20C42B	LS4L194PD20C42B	RV0L220PD20C42B	LV0L220PD20C42B
Tête de Tubage / Casing Head x CR50		1 RS4L194PE00C50B	LS4L194PE00C50B	RV0L220PE00C50B	LV0L220PE00C50B
Tête de Tubage / Casing Head x CR60		1 RS4L194PF00C60B	LS4L194PF00C60B	RV0L220PF00C60B	LV0L220PF00C60B
Tête de Tubage / Casing Head x NW		1 RS4L194PF700NWB	LS4L194PF700NWB	RV0L220PF700NWB	LV0L220PF700NWB
Tête de Tubage / Casing Head x 2 3/8" API Reg		1 RS4L194PG7238RB	LS4L194PG7238RB	RV0L220PG7238RB	LV0L220PG7238RB
Tête de Tubage / Casing Head x 2 3/8" API IF		1 RS4L194PI0238IB	LS4L194PI0238IB	RV0L220PI0238IB	LV0L220PI0238IB
Tête de Tubage / Casing Head x 2 7/8" API Reg		1 RS4L194PI0278RB	LS4L194PI0278RB	RV0L220PI0278RB	LV0L220PI0278RB
Tête de Tubage / Casing Head x 3 1/2" API Reg		1 RS4L194PK5312RB	LS4L194PK5312RB	RV0L220PK5312RB	LV0L220PK5312RB
Tête de Tubage / Casing Head x R66 Droite / Right		1 RS4L194PI00R66B	MS4L194PI00R66B	RV0L220PI00R66B	LV0L220PI00R66B
Tête de Tubage / Casing Head x R66 Gauche / Left		1 NS4L194PI00R66B	MS4L194PI00R66B	RV0L220PI00R66B	LV0L220PI00R66B
Tête de Tubage / Casing Head x H55 Droite / Right		1 RS4L194PI00H55B	MS4L194PI00H55B	RV0L220PI00H55B	LV0L220PI00H55B
Tête de Tubage / Casing Head x H55 Gauche / Left		1 NS4L194PI00H55B	MS4L194PI00H55B	RV0L220PI00H55B	LV0L220PI00H55B
Fontaine / Casing Head with Lateral Cutting Ejection		2 CALS194RHFT	CALS194LHFT	CALS220RHFT	CALS220LHFT
Tubage complet avec raccord L = 0.50 m		3 CALS194RH050M	CALS194LH050M	CALS220RH050M	CALS220LH050M
Tubage complet avec raccord L = 0.75 m		3 CALS194RH075M	CALS194LH075M	CALS220RH075M	CALS220LH075M
Tubage complet avec raccord L = 1.00 m		3 CALS194RH100M	CALS194LH100M	CALS220RH100M	CALS220LH100M
Tubage complet avec raccord L = 1.50 m		3 CALS194RH150M	CALS194LH150M	CALS220RH150M	CALS220LH150M
Tubage complet avec raccord L = 3.00 m		3 CALS194RH300M	CALS194LH300M	CALS220RH300M	CALS220LH300M
Tubage seul Fx/F / BxB Casing Only L = 0.50 m		3a CALS194RH050MBB	CALS194LH050MBB	CALS220RH050MBB	CALS220LH050MBB
Tubage seul Fx/F / BxB Casing Only L = 0.75 m		3a CALS194RH075MBB	CALS194LH075MBB	CALS220RH075MBB	CALS220LH075MBB
Tubage seul Fx/F / BxB Casing Only L = 1.00 m		3a CALS194RH100MBB	CALS194LH100MBB	CALS220RH100MBB	CALS220LH100MBB
Tubage seul Fx/F / BxB Casing Only L = 1.50 m		3a CALS194RH150MBB	CALS194LH150MBB	CALS220RH150MBB	CALS220LH150MBB
Tubage seul Fx/F / BxB Casing Only L = 3.00 m		3a CALS194RH300MBB	CALS194LH300MBB	CALS220RH300MBB	CALS220LH300MBB
Raccord MxM / PxP Coupling		3b CALS194RHRAMM	CALS194LHRAMM	CALS220RHRAMM	CALS220LHRAMM
Sabot de tubage serti / Surface Set Casing Shoe		4 SALS194S350R0RH	SALS194S350R0LH	SALS220S350R0RH	SALS220S350R0LH
Sabot de tubage imprégné / Impregnated Casing Shoe		4 SALS194IE50F0RH	SALS194IE50F0LH	SALS220IE50F0RH	SALS220IE50F0LH
Sabot de tubage TC / TC Casing Shoe		4 SALS194CPT000RH	SALS194CPT000LH	SALS220CPT000RH	SALS220CPT000LH
Sabot de tubage CarboDrill / CarboDrill Casing Shoe		4 SALS194CCD000RH	SALS194CCD000LH	SALS220CCD000RH	SALS220CCD000LH
Sabot stellite ondulé / Corrugated Stellite Casing Shoe		4 SALS194ONDSTERH	SALS194ONDSTERLH	SALS220ONDSTERH	SALS220ONDSTERLH
Sabot stellite ondulé avec lamelle / Corrugated Stellite Casing Shoe with Basket		4 SALS194ONSTLARH	SALS194ONSTLALH	SALS220ONSTLARH	SALS220ONSTLALH
Protecteur de filetage mâle / Pin Thread Protector		CALS194RHPP	CALS194LHPP	CALS220RHPP	CALS220LHPP
Protecteur de filetage femelle / Box Thread Protector		CALS194RHPB	CALS194LHPB	CALS220RHPB	CALS220LHPB
Collier de Tubage Haute Résistance / Heavy Duty Casing Clamp		5 CALS194CASCHD	CALS194CASCHD	CALS220CASCHD	CALS220CASCHD

Autres longueurs de tube sur demande / Other casing lengths on request



+33 (0)3 81 41 30 33

a datc@datc-group.com